


### Key Features

- ❑ Integrated design for easy, fast and convenient operation
- ❑ Large paper roll holder reducing the number of times the paper needs to be exchanged
- ❑ 15" High-definition LCD display with high-precision capacitive touch screen
- ❑ Modular design allowing for the addition or removal of relevant modules according to customer demand
- ❑ Equipped with an advanced security weighing module that can effectively help customers and retailers with loss prevention




MODEL		HS610M	
Processor		Intel® Core™ Skylake-U, 6th Generation High-Performance CPU i3-6100U SOC 2.3GHz	
Operating System		Windows 7 / Windows 8.1 / Windows 10 / Linux	
Memory		SO-DIMM DDR4 2133MHz 4GB up to 16GB	
Storage		SATA HDD 500GB	
		SATA SSD 128GB up to 256GB	
Display Panel		15" TFT LCD   4:3   Standard resolution: 1024 x 768	
Touch Screen		True flat capacitive touch screen	
Power Supply		150W (Integrated)	
Speaker		2* 5W Speaker	
I/O Ports	USB	4* 2.0, 2* 3.0	
	Serial	6* RJ48	
	LAN	1* RJ45 100M/1000M Gigabit	
Default Peripherals	Printer	Integrated 80mm thermal printer	
	Scanner	Short-range: supports 1D/2D barcodes	
Optional Peripherals	Camera	Not supported	
	Wi-Fi®	Dual-band 802.11a/b/g/n/ac 2.4GHz/5GHz	
	MSR	3 tracks MSR	
	RFID	MSR & RFID   Multi-function card reader	
	Scanner	Medium-range: supports scale functionality	
		Separate handheld	
	FPR	Fingerprint reader	
	Coin Module	Not supported	
	Cash Module	Not supported	
	Status Indicator	Three-color status indicator light	
	Receipt Collector	Waste receipt collector	
	Shelving	Shelving unit on left and right hand side	
	Bracket	EFTPOS holder	
		Handheld scanner holder	
Scale	Range: 60kg   Size: 450 x 600 mm		
	Range: 120kg   Size: 800 x 600 mm		
Dimensions (WxDxH)		800 x 700 x 1680 mm (Core Module & Base Cabinet)	
Weight	62kg (Core Module & Base Cabinet)		
	36kg (60kg Scale)		

**Disclaimer:** All products specifications are subject to change without notice.

MODEL		HS610M
Operating Voltage		100 ~ 264VAC
Environment	Operating	10°C - 40°C / 30%-75% RH non-condensing
	Storage	-5°C - 50°C / 30%-80% RH non-condensing
EMC and Safety		FCC / Class-B/CE / Class-B/RoHS
Colour		Silver and Gray

**Disclaimer:** All products specifications are subject to change without notice.

- Optional Status Indicator
- Optional Shelving Unit
- Optional 60kg Scale or 120kg Scale



- Optional Handheld Scanner Holder
- Optional EFTPOS Holder